

People with Known Exposure to COVID-19 Who Do Not Have Symptoms¹ “Quarantine”

	Under age 2 years or unable to wear a well-fitting mask	Age 2 – 4 years	Age 5 - 11 years		Age 12 years - Adults				All ages
			Fully Vaccinated	Not yet Fully Vaccinated	Fully Vaccinated and Boosted	Fully Vaccinated, not yet eligible for booster	Fully Vaccinated, eligible for booster but not yet boosted	Not yet Fully Vaccinated	Tested positive for COVID-19 within the past 3 months (regardless of vaccination status)
Quarantine Duration	10 days (masks not recommended for children under age 2)	5 days	No	5 days	No	No	5 days	5 days	No
Attend or work at school, including travel to/from school (e.g., on bus)	N/A	No, unless in Test-to-Stay in pre-K. ² No extra-curriculars.	Yes	No, unless in Test-to-Stay. No extra-curriculars.	Yes	Yes	Yes. Testing encouraged. Participate in Test-to-Stay at school if available. No extra-curriculars.	No, unless in Test-to-Stay. No extra-curriculars.	Yes
Testing	Test whichever comes 1 st : at least 5 days after last exposure (testing recommended but optional if unable to test) or if Symptoms develop If positive, isolate for at least 5 days from symptom onset or (if no symptoms) date test was collected								No test needed. Test if Symptoms develop.

1. See specific guidance for individuals in congregate settings and for furlough for healthcare workers.

2. Test to stay applies to all Pre-K through grade 12 schools (when the Pre-K is located in a school building that also serves older students: not Pre-Ks that only serve pre-kindergarten students).

Isolation for the General Public³

“Isolation” is for people who have a positive COVID-19 test or who have symptoms and are waiting for the results of a COVID-19 test.

Isolation is the same for everyone, regardless of whether they are unvaccinated, vaccinated, or boosted.

	Symptoms, Waiting for Test Result	No Symptoms, Positive Test	<u>Symptoms</u> , Positive Test	Hospitalized for COVID-19 or Immunocompromised
Duration of Isolation	<p>Until test result is received or 5 days, whichever is first.</p> <p>If test result is negative, isolation can end.</p> <p>If test result is positive, see “Symptoms, Positive Test” column.</p>	<p>5 days (day 0 is the day the test was collected; isolation ends <u>after</u> day 5).</p> <p>10 days if unable to wear a well-fitting mask days 6-10</p> <p>If symptoms develop after testing positive, start 5-day count again with day 0 being the day symptoms started.</p>	<p>Minimum of 5 days (day 0 is the day symptoms start; isolation ends <u>after</u> day 5). <u>and</u> when fever-free for 24 hours without fever-reducing medication <u>and</u> symptoms have improved</p> <p>10 days if unable to wear a well-fitting mask days 6-10</p>	<p>10 - 20 days, consult healthcare provider</p>
Antigen Test Timing at the End of Isolation	N/A	<p>Optional. If testing is done, it should be on at least day 5 of isolation.</p> <p>If positive, isolate through day 10. If negative, isolation can end but continue to wear a mask through day 10.</p>	<p>Optional. If testing is done, it should be on at least day 5 of isolation (when fever free for 24 hours and symptoms have improved).</p> <p>If positive, isolate through day 10. If negative, isolation can end but continue to wear a mask through day 10.</p>	<p>Consult healthcare provider</p>

3. See specific guidance for individuals in congregate settings and for furlough for healthcare workers.